

10+ things you should know about troubleshooting a slow PC

Spyware and viruses – Spyware and viruses pose a significant security threat, and they can also dramatically decrease computer performance. The first step when combating spyware should always be to scan the machine with updated spyware detection/removal and antivirus software. Use these applications to remove any detected infections. If the software scanners don't work, here are a few other steps to try.

To remove spyware:

- Identify and end suspicious processes with Windows Task Manager.

- Identify and disable suspicious services with the Management Console.

- Identify and disable suspicious services and startup items with the System Configuration Utility.

- Search and delete registry entries associated with suspicious services or startup items.

- Identify and delete suspicious files.

- Install and use multiple spyware detection and removal utilities.

Note: If the above techniques fail, start Windows in Safe Mode and retry

Often you can tell if there is a fan problem by listening and/or touching the computer. A fan that has loose bearings starts jiggling and vibrates the case, making a characteristic noise. You may barely notice the noise at first, and it's common for even the experienced computer pro to overlook

this change. But as time goes by, the sounds and vibrations will become so prominent that you'll

The processor fan may fail for several reasons:

- Dust is preventing the fan from spinning smoothly.

- The fan motor has failed.

- The fan bearings are loose and "jiggling."

Bad RAM – Several situations can lead to a bad RAM relationship with a particular machine:

- RAM timing is slower than optimal machine spec.

- RAM has minor flaws that only appear on detailed testing.

- RAM is overheating.

In the "old days" of Fast Page RAM, buying new RAM for your computer was a pretty simple affair. You just

needed to know what speed your motherboard supported and the maximum each slot would take.

Today, there

are many different speeds and types of RAM, and the better motherboards may be tolerant of using RAM that

does not match the motherboard's maximum specs. For example, your motherboard may support ECC RAM but

will still work with non-ECC RAM, or may support both PC2700 and PC3200 DIMMs. But be aware that you may

need to change BIOS settings and you may see performance decreases if you install RAM that is slower than the maximum spec.

Minor flaws in RAM chips can lead to system slowdowns and instability. The least expensive chips often have

minor flaws that will cause your system to slow down or Blue Screen intermittently. Although built-in mechanisms

may allow the system to keep working, there is a performance hit when it has to deal with flawed RAM chips.

In the past, no one worried about RAM chips getting hot, because they didn't seem to generate much heat. But that's changed with newer RAM types, especially SDRAM. To check for overheating, open your computer's case, power down, and pull the plug out. Ground yourself and touch the plastic on one of your RAM chips. Ouch! They get pretty hot. If you find that your RAM chips are overheating, you should consider buying a separate fan to cool your memory. If your motherboard doesn't support a RAM fan, you might be able to get enough additional cooling by installing a fan card that plugs into a PCI slot. You can also buy copper "heatspreaders" or RAM heatsinks that improve heat dissipation and help prevent problems caused by overheated RAM.

Tip: Some motherboards will even allow you to mix speeds but will default to the slowest RAM installed.

Failing hard disk – There may be many signs of imminent failure before a hard disk finally gives up, depending on the type of failure (mechanical, electronic, logical or firmware failure). Some of these signs include:

- Slow access times on the affected drive.

- An increasing number of bad sectors when running scandisk and chkdsk.

- Unexplained Blue Screens.

Detecting a failing hard disk can be tricky because the early signs are subtle. Experienced computer professionals can often hear a change in the normal disk spin (often manifested as a clicking or crunching noise or a high pitched whine). After the disk deteriorates further, you'll see the system crawl to a standstill. Write processes will take a long time as the system tries to find good blocks to write to. (This will occur if you're using a robust file system such as NTFS; other file systems will likely Blue Screen the computer.) You may get error messages such as "Windows delayed write failure" on Windows computers.

When you notice the system slow down, run scandisk or chkdsk, depending on your operating system. If you

notice a bad sector where a good sector existed earlier, that's a clue that the disk is going bad.

Back up the data

on the disk and prepare for it to fail soon. Make sure you have a spare disk ready so you can replace it when it

fails, or replace the disk as soon as you notice the early signs of failure.

Disk noise and scandisk/chkdsk are your best indicators for identifying a failing drive that's leading to a system

slowdown. However, if you are managing a system remotely, or you can't take the system down for a full

chkdsk/R, you can use tools that monitor disk health, such as [Executive Software's DiskAlert](#).

BIOS settings – One often-ignored culprit of system slowdown is the machine's BIOS settings.

Most

people accept the BIOS settings as they were configured in the factory and leave them as is.

However,

slowdowns may occur if the BIOS settings do not match the optimal machine configuration. Often you can improve machine performance by researching your motherboard's optimal BIOS settings—which may not be the same as the factory defaults.

Disk type/controller compatibility – You've just purchased a new UDMA-100 disk drive, and it doesn't seem any faster than any of the other drives in your machine. You do some benchmark testing, and the new disk tests the same as the other drives in your system. So what's the problem? It could be that your motherboard doesn't support the UDMA 100 specification. Check your manual to determine what type of IDE interface it supports. If the motherboard only supports UDMA 33 or 66, then your UDMA 100 throttles down for backwards compatibility. You can get around this problem by installing a PCI UDMA 100 add-on card and plugging the new drive in to that interface. Another potential problem may be the cable type you are using. UDMA 66+ drives require a different cable than older drive types. The drive may not work at all with the old cable type. Aged cables will break down over time, especially if they are tightly folded and the temperature of the case remains consistently high. It's always worthwhile to change out the drive cable to see if performance improves. Also keep in mind that over the course of a year to 18 months, hard disk technology improves so that performance of newer disks is substantially greater (and so are disk capacities). Replacing older disks, even if they are not at risk of failure, can give you a big performance boost. New Serial ATA (SATA) disks are faster than old Parallel ATA types.

Windows services – Many Windows services are enabled by default. Many of these services, however, are not required for your machine to run properly. You should review the services running on your Windows 2000/Windows XP computer and disable those that you don't need. One way to see what services are running is to use the Services applet found in the Administrative Tools menu. Right-click My Computer and select Manage. Important information contained in the Services console includes the service Name, Status, and Startup Type. You can get more details on a service by double-clicking on it to bring up the service's Properties. You can stop the service by clicking the Stop button. If you are sure that you don't need the service, click the down arrow in the Startup Type drop-down list box and set the service to Disabled. If you are not sure if you need the service, change the Startup Type to Manual. Then you'll have the option of manually starting the service if you find that you need it. Another way of controlling which services start is using the msconfig utility. Open the Run dialog box and type msconfig in the Open text box. The Essential column shows services Microsoft considers essential to running the computer. However, note that many required services are not defined as essential in the System Configuration

Utility window. You can prevent a service from starting at bootup by unchecking the check box to the left of the service.

One service that is well known for slowing down Windows 2000/Windows XP systems is the Indexing Service.

This service indexes the content of each hard disk and makes it easier for the Search utility to find files. Unless you are running a Web site that uses the indexing service, you may want to disable it to improve performance.

Runaway processes – Runaway processes take up all of the processors' cycles. The usual suspects are badly written device drivers, and legacy software installed on a newer operating system. You can identify a runaway process by looking at the process list in the Windows Task Manager. Any process that takes almost 100 percent of the processing time is likely a runaway process. There are exceptions to this rule. On a smoothly running system, the System Idle Process should be consuming the majority of the processor cycles most of the time. If any other process were to take up 98 percent of the processor cycles, you might have a runaway process. If you do find a runaway process, you can right-click the process and click the End Process command. You may need to stop some processes, such as runaway system services, from the Services console. If you can't stop the service using the console, you may need to reboot the system. Sometimes a hard reboot is required.

Disk fragmentation – As files are added, deleted, and changed on a disk, the contents of the file can become spread across sectors located in disparate regions of the disk. This is file fragmentation. Some older operating systems, such as Windows NT, don't have a built-in defrag utility; you must obtain a third-party solution, such as [Executive Software's Diskeeper](#). Disk fragmentation can significantly slow down your machine. The disk heads must move back and forth while seeking all the fragments of a file. A common cause of disk fragmentation is a disk that is too full. You should keep 20 percent to 25 percent of your hard disk space free to minimize file fragmentation and to improve the defragmenter's ability to defrag the disk. Thus, if a disk is too full, move some files off the drive and restart the defragmenter.